

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S25	397	buffer near overrun	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:11
S26	37	S25 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:11
S27	8	buffer near overrun same vulnerab\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:11
S28	4	S27 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:16
S29	156	buffer near (overrun or overflow) same attack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 11:11
S30	35	S29 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:11
S31	52	buffer near (overrun or overflow) same attack and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 11:11
S32	9	S31 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:16
S33	2	buffer near attack and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 11:11
S34	1	S33 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:17

S35	42	buffer near5 attack and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 11:12
S36	6	S35 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12
S37	43	((buffer near5 attack) or (stack near smashing)) and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 11:12
S38	7	S37 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12
S39	0	heash near3 stack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 11:12
S40	0	S39 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12
S41	54	hash near3 stack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 11:12
S42	6	S41 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12
S43	29	(denial near service) same (buffer near (overflow overrun))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 11:12
S44	4	S43 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12

S45	2	secure near processor near register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 11:12
S46	1	S45 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12
S47	821584	secure nea3r processor near register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 11:12
S48	32715	S47 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12
S49	12	secure near3 processor near register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 11:12
S50	1	S49 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12
S51	376	processor near register near3 access\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 11:12
S52	23	S51 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12
S53	195	processor near register near3 access\$4 and @py<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 11:12
S54	0	S53 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12

S55	13	processor near register near3 access\$4 and @py<"2000" and secure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 11:12
S56	0	S55 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12
S57	2	scan near3 instal\$4 near5 save\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 11:12
S58	0	S57 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12
S59	75	scan same instal\$4 same save\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 11:12
S60	6	S59 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12
S61	6	buffer near overrun and 713/200. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12
S62	1	S61 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:17
S63	4	buffer near overrun and 713/201. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12
S64	0	S63 and @pd>"20041015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 1 of about 2 for "**null canary word**". (0.09 seconds)

Tip: Try removing quotes from your search to get more results.

FROM: Crispin Cowan **DATE:** 08/12/1998 16:27:16 **SUBJECT:** RE ...

... The down-side is that this is slightly slower than the "compare with 0"

test that can be used if you just have a **Null canary word**. ...www.geocrawler.com/mail/msg_raw.php3?msg_id=112193 - 4k - Supplemental Result - [Cached](#) - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 1 already displayed.

If you like, you can repeat the search with the omitted results included.

Free! Google Desktop Search: Search your own computer. [Download now.](#)**Find:** [emails](#) - [files](#) - [chats](#) - [web history](#)[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google